L Number	Hits	Search Text	DB	Time stamp
_	3719	(processing near3 (capabilit\$3 or abilit\$3	USPAT;	2004/09/03 10:57
		or performance))near6 (alter\$6 or chang\$4	US-PGPUB;	
		or lower\$3 or reduc\$6 or minimiz\$6)	IBM_TDB	0004/00/00 00 46
-	65	((processing near3 (capabilit\$3 or	USPAT;	2004/09/03 08:46
		abilit\$3 or performance))near6 (alter\$6 or	US-PGPUB;	
		chang\$4 or lower\$3 or reduc\$6 or	IBM_TDB	
	_	minimiz\$6)) with (battery or external)	HODAM	2004/00/03 00-10
-	7	((processing near3 (capabilit\$3 or	USPAT;	2004/09/03 09:10
		abilit\$3 or performance))near6 (alter\$6 or	US-PGPUB;	
		chang\$4 or lower\$3 or reduc\$6 or	IBM_TDB	
		minimiz\$6)) with ((battery or		
		external)near6 (remov\$4 or replac\$4 or chang\$4 or switch\$4))		
_	17980	((processing or operati\$5 or perform\$5 or	USPAT;	2004/09/03 09:38
	17500	working or functio\$4) near3 (capabilit\$3 or	US-PGPUB;	2001,03,00 03133
		abilit\$3 or performance))near6 (alter\$6 or	IBM TDB	
		chang\$4 or lower\$3 or reduc\$6 or		
		minimiz\$6)		
_	12	(((processing or operati\$5 or perform\$5 or	USPAT;	2004/09/03 08:52
		working or functio\$4)near3 (capabilit\$3 or	US-PGPUB;	
		abilit\$3 or performance))near6 (alter\$6 or	IBM TDB	
		chang\$4 or lower\$3 or reduc\$6 or	_	
		minimiz\$6)) with ((battery)near6 (remov\$4		
		or replac\$4 or chang\$4 or switch\$4))		
-	33	(((processing or operati\$5 or perform\$5 or	USPAT;	2004/09/03 09:04
		working or functio\$4)near3 (capabilit\$3 or	US-PGPUB;	
		abilit\$3 or performance))near6 (alter\$6 or	IBM_TDB	
		chang\$4 or lower\$3 or reduc\$6 or		
		minimiz\$6)) with ((battery or		
		external)near4 (remov\$4 or replac\$4 or		
	_	chang\$4 or switch\$4))		0004/00/00 00 10
-	2	((processing near3 (capabilit\$3 or	USPAT;	2004/09/03 09:10
		abilit\$3 or performance))near6 (alter\$6 or	US-PGPUB;	
		chang\$4 or lower\$3 or reduc\$6 or	IBM_TDB	
		minimiz\$6)) same ((battery)near6 (remov\$4		
	3	or replac\$4 or chang\$4 or switch\$4)) ((processing near3 (capabilit\$3 or	USPAT;	2004/09/03 09:39
_	3	abilit\$3 or performance))near6 (alter\$6 or	US-PGPUB;	2004/03/03 03:33
		chang\$4 or lower\$3 or reduc\$6 or	IBM TDB	
		minimiz\$6)) same ((batter\$4) near6	1211_122	
		(remov\$4 or replac\$4 or chang\$4 or	1	
		switch\$4))		
_	19	(((processing or operati\$5 or perform\$5 or	USPAT;	2004/09/03 09:39
		working or functio\$4)near3 (capabilit\$3 or	US-PGPUB;	
		abilit\$3 or performance))near6 (alter\$6 or	IBM TDB	
		chang\$4 or lower\$3 or reduc\$6 or	_	
		minimiz\$6)) same ((batter\$4)near6		
		(remov\$4 or replac\$4 or chang\$4 or		
		switch\$4))		0001100100
-	54478	(batter\$4 near4 (remov\$4 or replac\$4 or	USPAT;	2004/09/03 09:26
		chang\$4 or switch\$4))	US-PGPUB;	
			IBM_TDB	0004/00/03 00 03
_	15	((batter\$4 near4 (remov\$4 or replac\$4 or	USPAT;	2004/09/03 09:27
		chang\$4 or switch\$4))) same (((processing	US-PGPUB;	
		or operati\$5 or perform\$5 or working or	IBM_TDB	
		functio\$4)near3 (capabilit\$3 or abilit\$3		
		or performance))near6 (alter\$6 or chang\$4		
	F 5 6 7	or lower\$3 or reduc\$6 or minimiz\$6)) ((processing or operati\$5 or perform\$5 or	EPO; JPO;	2004/09/03 09:28
-	5501		DERWENT	2004/03/03 03:20
		working or functio\$4)near3 (capabilit\$3 or abilit\$3 or performance))near6 (alter\$6 or	DELMENT	
		chang\$4 or lower\$3 or reduc\$6 or		
		minimiz\$6)		
_	9	(((processing or operati\$5 or perform\$5 or	EPO; JPO;	2004/09/03 09:33
		working or functio\$4) near3 (capabilit\$3 or	DERWENT	
		abilit\$3 or performance))near6 (alter\$6 or		
		chang\$4 or lower\$3 or reduc\$6 or		
		minimiz\$6)) same ((batter\$4)near6		
		(remov\$4 or replac\$4 or chang\$4 or		
	1			

	12	(((processing or operati\$5 or perform\$5 or working or functio\$4)near3 (capabilit\$3 or abilit\$3 or performance))near6 (alter\$6 or chang\$4 or lower\$3 or reduc\$6 or minimiz\$6)) and ((batter\$4)near6 (remov\$4 or replac\$4 or chang\$4 or switch\$4))	EPO; JPO; DERWENT	2004/09/03 09:33
-	20617	713/\$.ccls.	USPAT; US-PGPUB;	2004/09/03 09:36
_	11871	713/\$.ccls. and ((processing or operati\$5 or perform\$5 or working or functio\$4) with (alter\$6 or chang\$4 or lower\$3 or reduc\$6 or minimiz\$6))	IBM_TDB USPAT; US-PGPUB; IBM_TDB	2004/09/03 09:41
_	701	(713/\$.ccls. and ((processing or operati\$5 or perform\$5 or working or functio\$4)with (alter\$6 or chang\$4 or lower\$3 or reduc\$6 or minimiz\$6))) and ((batter\$4)near6 (remov\$4 or replac\$4 or chang\$4 or switch\$4 or swap\$4))	USPAT; US-PGPUB; IBM_TDB	2004/09/03 09:41
_	3	((processing near3 (capabilit\$3 or abilit\$3 or performance))near6 (alter\$6 or chang\$4 or lower\$3 or reduc\$6 or minimiz\$6)) same ((batter\$4)near6 (swap\$4 or remov\$4 or replac\$4 or chang\$4 or switch\$4))	USPAT; US-PGPUB; IBM_TDB	2004/09/03 09:39
_	8216	713/\$.ccls. and ((processing or operati\$5 or perform\$5 or working or functio\$4)near4 (alter\$6 or chang\$4 or lower\$3 or reduc\$6 or minimiz\$6))	USPAT; US-PGPUB; IBM_TDB	2004/09/03 09:42
-	523		USPAT; US-PGPUB; IBM_TDB	2004/09/03 09:41
-	90	713/\$.ccls. and (((processing or operati\$5 or perform\$5 or working or functio\$4)near4 (alter\$6 or chang\$4 or lower\$3 or reduc\$6 or minimiz\$6))same ((batter\$4)near6 (remov\$4 or replac\$4 or chang\$4 or switch\$4 or swap\$4)))	USPAT; US-PGPUB; IBM_TDB	2004/09/03 10:19
-	1	5041964.pn.	USPAT; US-PGPUB; IBM TDB	2004/09/03 10:19
_	1	4710903.pn.	USPAT; US-PGPUB; IBM TDB	2004/09/03 10:19
-	1	6367007.pn.	USPAT; US-PGPUB; IBM_TDB	2004/09/03 10:20
-	1	6226741.pn.	USPAT; US-PGPUB; IBM_TDB	2004/09/03 10:21
_	1	5560020.pn.	USPAT; US-PGPUB; IBM_TDB	2004/09/03 10:22
_	1	5832282.pn.	USPAT; US-PGPUB; IBM_TDB	2004/09/03 10:51
_	1	5963010.pn. 6177779.pn.	USPAT; US-PGPUB; IBM_TDB USPAT;	2004/09/03 10:24
_	1	6601179.pn.	US-PGPUB; IBM_TDB USPAT;	2004/09/03 10:25
_	1	5784626.pn.	US-PGPUB; IBM_TDB USPAT;	2004/09/03 10:25
			US-PGPUB; IBM_TDB	

_	1	(hotswap\$4 near4 batter\$4) with (operative	USPAT;	2004/09/03 10:55
		or operati\$5 or work\$4 or perform\$4 or	US-PGPUB; IBM TDB	
_	1	processing) (hotswap\$4 near4 batter\$4)same (operative	USPAT;	2004/09/03 10:55
	1	or operati\$5 or work\$4 or perform\$4 or	US-PGPUB;	2001,03,03 10.00
		processing)	IBM_TDB	
-	1	(hotswap\$4 near4 batter\$4) and (operative	USPAT;	2004/09/03 10:55
		or operati\$5 or work\$4 or perform\$4 or	US-PGPUB;	
	40400	processing)	IBM TDB	2004/00/02 10-56
-	10438	((replac\$5 or switch\$4 or chang\$4 or hotswap\$4) near4 batter\$4)with (operative	USPAT; US-PGPUB;	2004/09/03 10:56
		or operati\$5 or work\$4 or perform\$4 or	IBM TDB	
		processing)		
-	157		USPAT;	2004/09/03 10:58
		hotswap\$4) near4 batter\$4) with (operative	US-PGPUB;	
		or operati\$5 or work\$4 or perform\$4 or	IBM_TDB	
		processing)) same ((capabilit\$3 or abilit\$3 or performance) near6 (alter\$6 or		
		chang\$4 or lower\$3 or reduc\$6 or		
		minimiz\$6))		
-	158	(((replac\$5 or switch\$4 or chang\$4 or	USPAT;	2004/09/03 12:10
		hotswap\$4) near4 batter\$4) with (operative	US-PGPUB;	
		or operati\$5 or work\$4 or perform\$4 or	IBM_TDB	
		<pre>processing)) same ((capabilit\$3 or abilit\$3 or performance) near6 (active or</pre>		
		alter\$6 or chang\$4 or lower\$3 or reduc\$6		
		or minimiz\$6))		
-	1326	1	USPAT;	2004/09/03 12:57
		or working or function\$6 or perform\$4 or	US-PGPUB;	
		processing))	IBM_TDB	2004/09/03 12:12
_	4	(continu\$4 near4 (stabl\$4 near3 (operat\$5 or working or function\$6 or perform\$4 or	USPAT; US-PGPUB;	2004/09/03 12:12
		processing))) same (batter\$4 near3	IBM TDB	
		(remov\$4 or swap\$4 or replac\$5 or switch\$4	_	
		or chang\$4))		
_	31	1 ,	USPAT;	2004/09/03 12:58
		or working or function\$6 or perform\$4 or processing))) and (batter\$4 near3 (remov\$4	US-PGPUB; IBM TDB	
		or swap\$4 or replac\$5 or switch\$4 or	1511_155	
		chang\$4))		
_	1		USPAT;	2004/09/03 12:33
		or working or function\$6 or perform\$4 or	US-PGPUB;	
		processing))) and (((part or one or some)	IBM_TDB	
		adj5 batter\$4) near3 (remov\$4 or swap\$4 or replac\$5 or switch\$4 or chang\$4))		
_	3	1	USPAT;	2004/09/03 12:33
		or working or function\$6 or perform\$4 or	US-PGPUB;	
		processing))) and (((part or one or some)	IBM_TDB	
		adj5 batter\$4) near6 (remov\$4 or swap\$4 or replac\$5 or switch\$4 or chang\$4))		
_	3		USPAT;	2004/09/03 12:34
		or working or function\$6 or perform\$4 or	US-PGPUB;	
		processing))) and (((part or one or some)	IBM_TDB	
		adj5 batter\$4) near6 (detach\$4 or remov\$4		
		or swap\$4 or replac\$5 or switch\$4 or		
_	1484	chang\$4)) continu\$4 near4 (stabl\$4 near3 (operat\$5	EPO; JPO;	2004/09/03 12:57
_	1404	or working or function\$6 or perform\$4 or	DERWENT	2004/09/03 12.57
		processing))		
_	6	(continu\$4 near4 (stabl\$4 near3 (operat\$5	EPO; JPO;	2004/09/03 13:34
	L. Common	or working or function\$6 or perform\$4 or	DERWENT	
		processing))) and (batter\$4 near3 (remov\$4		
		or swap\$4 or replac\$5 or switch\$4 or chang\$4))		
_	743353	hitachi.asn.	EPO; JPO;	2004/09/03 13:34
			DERWENT	
-	1983	hitachi.asn. and tanabe	EPO; JPO;	2004/09/03 13:35
	11007		DERWENT	2004/00/02 12:25
-	11297	hitachi.asn. and battery	EPO; JPO; DERWENT	2004/09/03 13:35
L		<u> </u>	DEVARMI	l

_	0	(hitachi.asn. and tanabe) and (battery adj removal)	EPO; JPO; DERWENT	2004/09/03 13:35
_	0	hitachi.asn. and (battery adj removal)	EPO; JPO; DERWENT	2004/09/03 13:35
_	0	hitachi.asn. and (batteries adj removal)	EPO; JPO; DERWENT	2004/09/03 13:35
_	1	hitachi.asn. and (batteries near4 removal)	EPO; JPO; DERWENT	2004/09/03 13:36
_	51	hitachi.asn. and (processing near4 alteration)	EPO; JPO; DERWENT	2004/09/03 13:53
_	2333	hitachi.asn. and (operati\$4 with remov\$4)	EPO; JPO; DERWENT	2004/09/03 13:37
_	38	testing adj4(user adj interface)	EPO; JPO; DERWENT	2004/09/03 13:54
_	38	testing adj4(user adj interface)	EPO; JPO; DERWENT	2004/09/03 13:54
l –	84	testing adj4(user adj interface)	USPAT	2004/09/03 13:54
_	0	testing adj2 (generic adj3 (user adj interface))	USPAT	2004/09/03 13:55
_	. 0	testing adj4 (generic adj3 (user adj interface))	USPAT	2004/09/03 13:55
-	44	testing adj2 (user adj interface)	USPAT	2004/09/03 14:06
_	1	6459887.pn.	USPAT	2004/09/03 14:06
_	1	6257249.pn.	USPAT	2004/09/03 14:20
_	2	configuring near4 ((coin or paper)adj4	USPAT	2004/09/03 14:25
		machine)		
-	1		USPAT	2004/09/03 14:26
-	2	configuring near6 (coin adj4 machine)	USPAT	2004/09/03 14:33
_	0	(avoiding adj3 corruption) near5 (boot or bios)	USPAT	2004/09/03 14:34
-	0	(avoiding adj3 corruption)near5 (boot adj code)	USPAT	2004/09/03 14:35
_	0	(avoiding adj3 corruption) with (boot adj code)	USPAT	2004/09/03 14:35
_	0	(avoid\$4 or omit\$4)	USPAT	2004/09/03 14:36
-	0	(coruption near4 (boot adj code))near5 (avoid\$4 or omit\$4)	USPAT	2004/09/03 14:36
	1	6272642.pn.	USPAT; US-PGPUB; IBM TDB	2004/09/21 13:38
_	10	(battery near3 (swap\$4 or hot\$plug\$\$ or replac\$4 or switch\$4 or chang\$4))near6 ((apparatus or device or notebook or laptop)near4 ((multiple or plural\$4 or	USPAT; US-PGPUB; IBM_TDB	2004/09/21 13:35
_	3	multiple or multipack\$1)adj2 batter\$4)) (battery near3 (swap\$4 or hot\$plug\$\$ or replac\$4 or switch\$4 or chang\$4))near6 ((apparatus or device or notebook or laptop)near4 ((multiple or plural\$4 or	EPO; JPO; DERWENT	2004/09/21 14:31
_	0	multiple or multipack\$1)adj2 batter\$4)) machii.inv. and kensuki	USPAT;	2004/09/21 13:39
_	1	machii.inv. and kensuke	US-PGPUB USPAT;	2004/09/21 15:16
_	868	kensuke.inv.	US-PGPUB USPAT; US-PGPUB	2004/09/21 13:42
-	691	kensuke.inv.	USPAT	2004/09/21 13:40
_	1	kensuke.inv. and machii	USPAT; US-PGPUB	2004/09/21 13:40
_	60	machii.inv.	USPAT; US-PGPUB	2004/09/21 13:41
-	13167	seiko.asn.	USPAT; US-PGPUB	2004/09/21 13:41
_	17	seiko.asn. and (kensuke.inv.)	USPAT; US-PGPUB	2004/09/21 13:43
_	149	seiko.asn. and (secondary adj batter\$3)	USPAT; US-PGPUB	2004/09/21 13:49
				

-	0	seiko.asn. and ((apparatus or device or notebook or laptop)near4 ((multiple or plural\$4 or multiple or multipack\$1)adj2	EPO; JPO; DERWENT	2004/09/21 13:45
		batter\$4))		
_	0	seiko.asn. and ((apparatus or device or notebook or laptop)near4 ((multiple or	EPO; JPO; DERWENT	2004/09/21 13:45
		plural\$4 or multiple or multipack\$1)adj2 batter\$4))		
-	0	seiko.asn. and ((apparatus or device or notebook or laptop) with ((multiple or plural\$4 or multiple or multipack\$1)adj2	EPO; JPO; DERWENT	2004/09/21 13:45
-	0	batter\$4)) seiko.asn. and (((multiple or plural\$4 or	EPO; JPO; DERWENT	2004/09/21 13:45
_	5	multiple or multipack\$1)adj2 batter\$4)) seiko.asn. and ((apparatus or device or notebook or laptop)near4 ((multiple or plural\$4 or multiple or multipack\$1)adj2	USPAT; US-PGPUB	2004/09/21 13:45
		batter\$4))		
_	3628	seiko.asn. and (computer or notebook or laptop)	USPAT; US-PGPUB	2004/09/21 13:50
-	51	(seiko.asn. and (secondary adj batter\$3)) and (computer or notebook or laptop)	USPAT; US-PGPUB	2004/09/21 13:54
_	564	<pre>(computer or notebook or laptop)near6 ((multiple or plural\$4 or secondary or backup or more or many or multipack)adj</pre>	USPAT; US-PGPUB	2004/09/21 13:56
	,	batter\$4)		
_	569	<pre>(computer or notebook or laptop)near6 ((multiple or plural\$4 or secondary or backup or more or many or multipack)adj</pre>	USPAT; US-PGPUB; IBM_TDB	2004/09/21 13:56
_	581	batter\$4) (computer or notebook or laptop)near6	USPAT;	2004/09/21 13:56
		((multiple or spare or plural\$4 or secondary or backup or more or many or	US-PGPUB; IBM_TDB	2004/03/21 13:30
_	223	multipack)adj batter\$4) ((computer or notebook or laptop)near6	USPAT;	2004/09/21 13:58
		((multiple or spare or plural\$4 or secondary or backup or more or many or multipack)adj batter\$4)) and (battery near3 (remov\$ or replac\$4 or switch\$4 or	US-PGPUB; IBM_TDB	
		chang\$4 or swap\$4))		
_	20	((((computer or notebook or laptop)near6 ((multiple or spare or plural\$4 or secondary or backup or more or many or	USPAT; US-PGPUB; IBM_TDB	2004/09/21 14:01
		multipack)adj batter\$4)) and (battery near3 (remov\$ or replac\$4 or switch\$4 or chang\$4 or swap\$4))) and ((determin\$7 or		
		<pre>detect\$4 or calculat\$4 or measur\$4) near4 (battery adj (charge or capacity or power or power or voltage or current)))) and</pre>		
		<pre>((lower\$4 or reduc\$6 or optimiz\$7)near3 (capabilit\$4 or abilit\$4 or function\$6 or operat\$5))</pre>		
-	76	(((computer or notebook or laptop)near6 ((multiple or spare or plural\$4 or	_USPAT; US-PGPUB;	2004/09/21 14:24
		secondary or backup or more or many or multipack)adj batter\$4)) and (battery near3 (remov\$ or replac\$4 or switch\$4 or	IBM_TDB	
		<pre>chang\$4 or swap\$4))) and ((determin\$7 or detect\$4 or calculat\$4 or measur\$4) near4</pre>		
-	0	<pre>(battery adj (charge or capacity or power or power or voltage or current))) (((computer or notebook or laptop)near6</pre>	USPAT;	2004/09/21 14:27
		((multiple or spare or plural\$4 or secondary or backup or more or many or multipack)adj batter\$4)) and (battery	US-PGPUB; IBM_TDB	
		near3 (remov\$ or replac\$4 or switch\$4 or chang\$4 or swap\$4))) and (((low\$3 or reduc\$5)adj3 (processing adj (ability or		
		capability)))with (operative or function\$4 or working or operat\$5))		

_	1	seiko.asn. and (((low\$3 or reduc\$5)adj3	USPAT;	2004/09/21 14:27
		(processing adj (ability or	US-PGPUB;	
		capability)))with (operative or function\$4	IBM_TDB	
	2677	or working or operat\$5))	EPO; JPO;	2004/09/21 14:31
_	2011	(((multiple or plural\$4 or multiple or multipack\$1)adj2 batter\$4))	DERWENT	2004/09/21 14:31
	0		USPAT;	2004/09/21 14:39
		notebook or laptop or contoller or	US-PGPUB;	2001/03/21 14.33
		microprocessor or microcontroller) near6	IBM TDB	
		((low\$3 or reduc\$5)adj3 (processing adj		
		(ability or capability))))with (operative		
		or function\$4 or working or operat\$5)) and		
		(((multiple or plural\$4 or multiple or		
		multipack\$1)adj2 batter\$4))		
_	26	1 11 11 11 11 11 11	USPAT;	2004/09/21 14:32
		or laptop or contoller or microprocessor	US-PGPUB;	
		or microcontroller)near6 ((low\$3 or reduc\$5)adj3 (processing adj (ability or	IBM_TDB	
		capability))))with (operative or		
		function\$4 or working or operat\$5)		
_	5		EPO; JPO;	2004/09/21 14:38
	1	or laptop or contoller or microprocessor	DERWENT	
		or microcontroller)near6 ((low\$3 or	ļ	
	1	reduc\$5)adj3 (processing adj (ability or		
		capability))))with (operative or		
	-	function\$4 or working or operat\$5)		0004/00/01 11
_	0	1 , , ,	USPAT;	2004/09/21 14:39
		near4 (chang\$4 or alter\$6 or switch\$4 or reduc\$4 or lowering or low\$4))with	US-PGPUB;	
		(processing adj (ability or capability)))	IBM_TDB	·
		and (((multiple or plural\$4 or multiple		
		or multipack\$1)adj2 batter\$4))		
-	49		USPAT;	2004/09/21 14:42
		(chang\$4 or alter\$6 or switch\$4 or reduc\$4	US-PGPUB;	
		or lowering or low\$4))with (processing adj	IBM_TDB	
		(ability or capability))	_	
-	10	6272642.uref.	USPAT;	2004/09/21 14:45
			US-PGPUB;	
	1	5022075 m	IBM_TDB USPAT;	2004/00/21 14-49
_	1	5922075.pn.	US-PGPUB;	2004/09/21 14:48
			IBM TDB	
_	1	5760636.pn.	USPAT;	2004/09/21 14:48
		* '	US-PGPUB;	
			IBM_TDB	
-	1	5737616.pn.	USPĀT;	2004/09/21 14:48
			US-PGPUB;	
		5,00504	IBM_TDB	0004/00/05
-	1	5680594.pn.	USPAT;	2004/09/21 14:48
			US-PGPUB; IBM TDB	
_	0	(batter\$4 near3 (remov\$4 or exchan\$4 or	USPAT;	2004/09/21 15:18
_		replac\$4 or chang\$4 or swap\$4))with (while	US-PGPUB	2004/03/21 13:18
		near6 (operati\$6 or functi\$6 or work\$4))	OD LOLOD	
_	. 0		USPAT;	2004/09/21 15:19
		replac\$4 or chang\$4 or swap\$4))with (while	US-PGPUB;	
		near6 (operati\$6 or functi\$6 or work\$4))	IBM_TDB	
-	4220	(batter\$4 near3 (remov\$4 or exchan\$4 or	USPAT;	2004/09/21 15:19
		replac\$4 or chang\$4 or swap\$4))with (US-PGPUB;	
		(operati\$6 or functi\$6 or work\$4))	IBM_TDB	0004/00/04 45 50
_	0	(USPAT; US-PGPUB;	2004/09/21 15:20
		replac\$4 or chang\$4 or swap\$4))same (while near6 (operati\$6 or functi\$6 or work\$4))	IBM TDB	
_	13	hear6 (operatise or functise or work54/) (batter\$4 near3 (remov\$4 or exchan\$4 or	EPO; JPO;	2004/09/21 15:20
	13	replac\$4 or chang\$4 or swap\$4))same	DERWENT	2004/03/21 13:20
		(keep\$4 near6 (operati\$6 or functi\$6 or		
		work\$4))		
	·			

			VIGE3 III	
-	24	((batter\$4 near3 (remov\$4 or exchan\$4 or	USPAT;	2004/09/21 15:24
		replac\$4 or chang\$4 or swap\$4))same	US-PGPUB;	
		(keep\$4 near6 (operati\$6 or functi\$6 or	IBM_TDB	
		work\$4))) and ((low\$3 or reduc\$6 or		
		optimiz\$6 or minimiz\$4)near4 (state or		
		mode))		
_	96	(batter\$4 near3 (remov\$4 or exchan\$4 or	USPAT;	2004/09/21 15:39
		replac\$4 or chang\$4 or swap\$4))same	US-PGPUB;	
		(keep\$4 near6 (operati\$6 or functi\$6 or	IBM TDB	
		work\$4))	_	ŀ
_	60	1	USPAT	2004/09/22 11:56
_	3	((smart adj batter\$3) with memory) and	USPAT	2004/09/22 11:56
		(rechageable or chargeable)		
_	78	(smart adj batter\$3) with memory	USPAT:	2004/09/22 11:58
		, (US-PGPUB;	2001, 03, 22 11.00
			IBM TDB	
_	3	((smart adj batter\$3)with memory) and	USPAT;	2004/09/22 11:56
		((rechageable or chargeable) and (detach\$6	US-PGPUB;	2001/03/22 11:30
		or mount\$4 or attach\$5))	IBM TDB	
_	5		USPAT;	2004/09/22 11:58
	5	((rechageable or chargeable) and (detach\$6	US-PGPUB;	2004/03/22 11.38
		or mount\$4 or attach\$5))	IBM TDB	
i _	0		EPO; JPO;	2004/09/22 11:58
	V	((a_a aa) aaaaaa, a,a	DERWENT	2004/09/22 11:58
		<pre>((rechageable or chargeable) and (detach\$6 or mount\$4 or attach\$5))</pre>	DEKWENI	
	13		EDO. TDO	2004/00/02 11:50
-	13	(smart adj batter\$3)with memory	EPO; JPO;	2004/09/22 11:59
			DERWENT	